CBSE Board Class XII Mathematics Sample Paper – 2

Time: 3 hrs Total Marks: 100

1. All questions are compulsory.

- 2. The question paper consist of 29 questions divided into three sections A, B, C and D. Section A comprises of 4 questions of one mark each, section B comprises of 8 questions of two marks each, section C comprises of 11 questions of four marks each and section D comprises of 6 questions of six marks each.
- 3. Use of calculators is not permitted.

SECTION - A

1. Is '*', defined on the set $\{1, 2, 3, 4, 5\}$ by a * b = L.C.M. (a, b), a binary operation?

2. If A' =
$$\begin{bmatrix} -2 & 3 \\ 1 & 2 \end{bmatrix}$$
 and B = $\begin{bmatrix} -1 & 0 \\ 1 & 2 \end{bmatrix}$, then find (A + 2B)'.

OR

If the matrix $A = \begin{bmatrix} 0 & a & -3 \\ 2 & 0 & -1 \\ b & 1 & 0 \end{bmatrix}$ is skew symmetric, find the values of 'a' and 'b'

- 3. Find the projection of $\vec{a} = \hat{i} 3\hat{k}$ on $\vec{b} = 3\hat{i} + \hat{j} 4\hat{k}$.
- **4.** Find the equation of a line parallel to the x-axis and passing through the origin.

SECTION - B

5. Find the value of x.

$$\sin\left\{\sin^{-1}\frac{3}{5}+\cos^{-1}x\right\}=1$$

6. For what value of x, the matrix $\begin{bmatrix} 5-x & x+1 \\ 2 & 4 \end{bmatrix}$ is singular?

7.

The income(I) of a doctor is given by

$$I = x^3 - 3x^2 + 5x$$
.

Can an insurance agent ensure the growth of his income?

8. Find the distance of the plane 3x - 4y + 12z = 3 from the origin.

OR

Find the shortest distance between the lines

$$\vec{r} = (4\hat{i} - \hat{j}) + \lambda(\hat{i} + 2\hat{j} - 3\hat{k})$$
 and $\vec{r} = (\hat{i} - \hat{j} + 2\hat{k})\mu$ $(2\hat{i} + 4\hat{j} - 5\hat{k})$

9. Without expanding, find the value of the following determinant

$$\begin{vmatrix} 0 & q-r & r-s \\ r-q & 0 & p-q \\ s-r & q-r & 0 \end{vmatrix}$$

10. Evaluate: $\int \frac{1 + \cot x}{x + \log \sin x} dx$

OR

Evaluate:

$$\int \frac{\cos 2x + 2\sin^2 x}{\cos^2 x} \, dx$$

11. Write the direction cosines of the vectors $-2\hat{i}+\hat{j}-5k$.

12. If $A = \begin{bmatrix} a & 0 & 0 \\ 0 & a & 0 \\ 0 & 0 & a \end{bmatrix}$, where a is a non zero real number then without actually evaluating

adjA, find the value of |adj A|.

OR

Given
$$A = \begin{bmatrix} 2 & -3 \\ -4 & 7 \end{bmatrix}$$
, compute A^{-1} and show that $2A^{-1} = 9I - A$

SECTION - C

13. Show that the function $f: \mathbb{N} \to \mathbb{N}$ defined by $f(n) = n - (-1)^n$ for all $(n \in \mathbb{N})$, is a bijection.

OR

Show that relation R defined by (a, b) R (c, d) \Rightarrow a + d = b + c on the set N x N is an equivalence relation.

- **14.** Find the value of $\tan \left[\frac{1}{2} \left\{ \sin^{-1} \frac{2x}{1+x^2} + \cos^{-1} \left(\frac{1-y^2}{1+y^2} \right) \right\} \right]$, |x| < 1, y > 0, xy < 1.
- 15. Using properties of determinants prove that

$$\begin{vmatrix} a^2 + 1 & ab & ac \\ ab & b^2 + 1 & bc \\ ca & cb & c^2 + 1 \end{vmatrix} = 1 + a^2 + b^2 + c^2$$

OR

Find the equation of the line joining points A(1, 3) and B(0, 0) using determinants and find k if D(k, 0) is a point such that the area of $\triangle ABD$ is 3 square units.

16. If
$$\sin y = x \sin(a + y)$$
, prove that $\frac{dy}{dx} = \frac{\sin^2(a + y)}{\sin a}$

OR

Differentiate w.r.t. x

$$y = (\sin x)^{\tan x} + (\cos x)^{\sec x}$$

17. Discuss the continuity of the function f(x) at x = 1

Given
$$\begin{cases} \frac{3}{2} - x & , & \frac{1}{2} \le x \le 1 \\ \frac{3}{2} & , & x = 1 \\ \frac{3}{2} + x & , & 1 < x \le 2 \end{cases}$$

18. Evaluate: $\int_{-1}^{2} (7x-5) dx$, as a limit of sums.



- **19.** Evaluate: $\int_{2}^{3} \frac{\sqrt{x}}{\sqrt{x} + \sqrt{5 x}} dx$
- 20. A company has two plants to manufacturing scooters. Plant I manufactures 70% of the scooters and plant II manufactures 30%. At plant I, 30% of the scooters are rated of standard quality and at plant II, 90% of the scooters are rated of standard quality. A scooter is chosen at random and is found to be of standard quality. Find the probability that it is manufactured by plant II.
- 21. Find the co-ordinates of points on line $\frac{x-1}{2} = \frac{y+2}{3} = \frac{z-3}{6}$, which are at a distance of 3 units from the point (1, -2, 3).
- 22. Give the intervals in which the function $f(x) = \frac{4\sin x 2x x\cos x}{2 + \cos x}$ is increasing or decreasing.
- 23. If $u = \sin^{-1}\left(\frac{2x}{1+x^2}\right)$ and $v = \tan^{-1}\left(\frac{2x}{1-x^2}\right)$, where -1 < x < 1, then write the value of

SECTION - D

24. Given two matrices, $A = \begin{bmatrix} 1 & -1 & 0 \\ 2 & 3 & 4 \\ 0 & 1 & 2 \end{bmatrix}$ and $B = \begin{bmatrix} 2 & 2 & -4 \\ -4 & 2 & -4 \\ 2 & -1 & 5 \end{bmatrix}$, verify that BA = 6I, use the result to solve the system x - y = 3, 2x + 3y + 4z = 17, y + 2z = 7.

Find the inverse of
$$A = \begin{bmatrix} 3 & 0 & -1 \\ 2 & 3 & 0 \\ 0 & 4 & 1 \end{bmatrix}$$
 by elementary row transformation.

25. Solve the differential equation $(x^2 - y^2) dx + 2xy dy = 0$ Given that y = 1 when x = 1.

26. A manufacturing company makes two models A and B of a product. Each piece of Model A requires 9 labour hours for fabricating and 1 labour hour for finishing. Each piece of Model B requires 12 labour hours for fabricating and 3 labour hours for finishing. For fabricating and finishing, the maximum labour hours available are 180 and 30 respectively. The company makes a profit of Rs. 8000 on each piece of model A and Rs. 12000 on each piece of Model B. How many pieces of Model A and Model B should be manufactured per week to realise a maximum profit? What is the maximum profit per week?

OR

A factory manufactures two types of screws A and B, each type requiring the use of two machines, an automatic and a hand-operated. It takes 4 minutes on the automatic and 6 minutes on the hand-operated machines to manufacture a packet of screws 'A' while it takes 6 minutes on the automatic and 3 minutes on the hand-operated machine to manufacture packet of screws 'B'. Each machine is available for at most 4 hours on any day. The manufacturer can sell a packet of screws 'A' at a profit of 70 paise and screws 'B' at a profit of 1. Assuming that he can sell all the screws he manufactures how many packets of each type should the factory owner produce in a day in order to maximize his profit? Formulate the above LPP and solve it graphically and find the maximum profit.

- **27.** Find the volume of the largest cylinder which can be inscribed in a sphere of radius r.
- **28.** Prove that the curves $y^2 = 4x$ and $x^2 = 4y$ divide the area of the square bonded by x = 0, x = 4, y = 4, and y = 0 into three equal parts.
- **29.** The probability of a shooter hitting a target is $\frac{3}{4}$. How many minimum numbers of times must he fire so that the probability of hitting the target at least once is more that 0.99?

OR

A black and red die are rolled together. Find the conditional probability of obtaining the sum 8, given that the red die resulted in a number less than 4.